THE

# MYSORE GAZETTE.

Published by Authority.

BANGALORE, SATURDAY, FEBRUARY 21, 1891.

☞ Separate paging is given to this Part in order that it may be filed as a separate compilation.

## PART IV.

## Official Papers.

*Season Report for the Week ending 14th February* 1891.

| District. | Rain-fall at— | Present week. | | Corresponding week of last year. | | Price of food grains in seers per Rupee; and market fluctuations in the prices of food grains. | Market how supplied. | Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities. | Prospects of Season; tracts in which the rain-fall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks. | Public Health. | Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| ngalore ... | Bangalore C. & M. Stn. | I. ... | C. ... | I. ... | C. ... | This week. Past week. | Well. | Standing wet and dry crops are in good condition. Paddy was sown. Paddy, ragi, cow gram, sugar-cane and pigeon pea were harvested. Out-turn 8 to 12 annas. | Good. | Generally good. | Cattle in good condition. Water and pasturage sufficient. |
| | „ City & Tk.... | ... | ... | ... | ... | | | | | | |
| | Hoskote ... | ... | ... | ... | ... | Rice 9 9. | | | | | |
| | Dodballapur ... | ... | ... | ... | ... | Ragi 25 25. | | | | | |
| | Nelamangala ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | |
| | Kankanhalli ... | ... | ... | ... | ... | Horse- | | | | | |
| | Magadi ... | ... | ... | ... | ... | gram 21 21. | | | | | |
| | Closepet ... | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | |
| | Anekal ... | ... | 27 | .. | ... | | | | | | |
| | Devanhalli ... | ... | ... | ... | ... | | | | | | |
| | Channapatna ... | ... | ... | ... | ... | | | | | | |
| ar ... | Kolar ... | ... | 16 | ... | ... | Rice 10 to 11½ 9 to 11½. | Do | Standing crops are generally in good condition. | Do | Do | Do do |
| | Bowringpet ... | ... | ... | ... | ... | Ragi 30 to 47 28 to 47. | | | | | |
| | Chintamani ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | |
| | Mulbagal ... | ... | 20 | ... | ... | Horse- | | | | | |
| | Sidlaghatta ... | ... | .. | ... | ... | gram 15 to 28 15 to 28. | | | | | |
| | Chikballapur ... | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | |
| | Bagepalli ... | ... | ... | ... | ... | | | | | | |
| | Goribidnur ... | ... | ... | ... | ... | | | | | | |
| | Malur .. | ... | 5 | ... | ... | | | | | | |
| | Srinivaspur ... | ... | ... | ... | ... | | | | | | |
| | Gudibanda ... | ... | ... | .. | ... | | | | | | |
| nkur ... | Tumkur ... | ... | ... | ... | ... | Rice 10 to 12 10 to 12½. | Do | Standing crops are in good condition. Pigeon pea, horse-gram, arecanut, castor beans, Bengal-gram and sugar-cane were harvested. Probable out-turn 2 to 12 annas. Paddy was sown. | Do | Good. | Do do |
| | Maddagiri ... | ... | ... | ... | ... | Ragi 32 to 44 31 to 44. | | | | | |
| | Chiknayakanhalli. | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | |
| | Sira ... | ... | ... | ... | ... | Horse- | | | | | |
| | Gubbi ... | ... | ... | ... | ... | gram 16 to 25 16 to 25. | | | | | |
| | Tiptur ... | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Davagada ... | ... | ... | ... | ... | | | | | |
| | Kunigal ... | ... | ... | ... | .. | | | | | |
| | Koratagere ... | ... | ... | ... | ... | | | | | |
| | Turuvekere ... | ... | ... | ... | ... | | | | | |
| | Huliyar ... | ... | ... | ... | ... | | | | | |
| ore ... | Mysore ... | ... | ... | ... | ... | Rice 9½ to 12 9 to 12. | Do | Standing crops are generally in good condition. Paddy, Bengal-gram, cow gram and pigeon pea were harvested in parts. Probable out-turn 6 to 12 annas. | Fair. | Generally good. | Do | do |
| | Chamrajnagar ... | ... | ... | ... | ... | Ragi 25 to 40 28 to 45. | | | | | | |
| | Seringapatam ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | | |
| | Hunsur ... | ... | ... | ... | ... | Horse- | | | | | | |
| | Yedatore ... | ... | ... | ... | ... | gram 16 to 32 16 to 30. | | | | | | |
| | Heggaddevankote. ... | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | | |
| | Gundlupet ... | ... | ... | ... | ... | | | | | | | |
| | Nanjangud ... | ... | ... | .. | ... | | | | | | | |
| | T. Narsipur ... | ... | ... | ... | ... | | | | | | | |
| | Malvalli ... | ... | ... | ... | ... | | | | | | | |
| | Mandya ... | ... | ... | ... | ... | | | | | | | |
| | Attikuppa ... | ... | ... | ... | ... | | | | | | | |
| | Nagamangala ... | ... | ... | ... | ... | | | | | | | |
| an ... | Hasan ... | ... | ... | ... | ... | Rice 9½ | Do | Standing crops, *viz.*, Bengal-gram, coriander, sugar-cane, castor beans and paddy are thriving. Sugar-cane and Bengal-gram are being harvested in some parts. | Favorable. | Do | Do | do |
| | Manjarabad ... | ... | ... | ... | ... | Ragi 32 | | | | | | |
| | Arkalgud ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | | |
| | Belur ... | ... | ... | ... | ... | Horse- | | | | | | |
| | Channarayapatna. ... | ... | ... | ... | ... | gram 18 | | | | | | |
| | Arsikere ... | ... | ... | .. | ... | (*Ciser arietinum.*) | | | | | | |
| | Holé-Narsipur ... | ... | ... | .. | ... | | | | | | | |
| oga ... | Shimoga ... | ... | ... | ... | ... | Rice 11 to 16 11 to 16. | Do | Standing crops, *viz.*, sugar-cane, Bengal-gram, wheat, cotton, great millet, castor beans and pigeon pea are in good condition. Horse-gram, Bengal-gram, wheat and pigeon pea were harvested. Paddy was sown in parts. | Fair. | Do | Do | do |
| | Channagiri ... | ... | ... | ... | ... | Ragi 20 to 37 20 to 37. | | | | | | |
| | Honnali ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | | |
| | Shikarpur ... | ... | ... | ... | ... | Jola 24 to 35 23 to 35. | | | | | | |
| | Sorab ... | ... | ... | ... | ... | (*Sorghum Vulgare.*) | | | | | | |
| | Sagar ... | ... | ... | ... | ... | | | | | | | |
| | Nagar ... | ... | ... | ... | ... | | | | | | | |
| | Tirthahalli ... | ... | ... | ... | ... | | | | | | | |
| | Kumsi ... | ... | ... | ... | ... | | | | | | | |
| ur ... | Chikmagalur ... | ... | ... | ... | ... | Rice 11 to 13 10 to 13. | Do | Standing crops are generally in good condition. Ragi, Bengal-gram, pigeon pea, sugar-cane and coriander were harvested in parts. The picking of coffee and arecanut continued. Out-turn 6 to 12 annas. | Generally good. | Do | Do | do |
| | Kadur ... | ... | ... | ... | ... | Ragi 24 to 30 24 to 32. | | | | | | |
| | Tarikere ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | | |
| | Koppa ... | ... | ... | ... | ... | Horse- | | | | | | |
| | Mudgere ... | ... | ... | ... | ... | gram 16 to 20 16 to 20. | | | | | | |
| | Yedahalli .. | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | | |
| aldroog. | Chitaldroog ... | ... | ... | ... | ... | Rice 9 to 14 8 to 14. | Do | Standing crops are in good condition. Ragi, pigeon pea, wheat, cow gram, Bengal-gram, horse-gram, castor beans and chillies were harvested. Probable out-turn a 12 anna crop. Paddy was sown. | Good. | Good. | Do | do |
| | Challakere ... | ... | ... | ... | ... | Ragi 34 to 48 32 to 48. | | | | | | |
| | Hiriyur ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | | |
| | Holalkere ... | ... | ... | ... | ... | Jola 30 to 38 26 to 38. | | | | | | |
| | Davangere ... | ... | ... | ... | ... | (*Sorghum Vulgare.*) | | | | | | |
| | Molakalmuru ... | ... | ... | ... | ... | | | | | | | |
| | Jagalur ... | ... | ... | ... | ... | | | | | | | |
| | Hosdurga ... | ... | ... | ... | ... | | | | | | | |

By Order,

A. SRINIVASACHARLU,
*Under-Secretary.*

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Maddagiri ... | ... | ... | ... | ... | Ragi 32 to 44 32 to 44. (*Eleusine corocana.*) Horse-gram 16 to 24 16 to 25. (*Ciser arietinum.*) | | dition. In certain parts of the Pavagada Taluk, wet crops withered for want of water in tanks. Cow gram, sugar-cane, Bengal-gram, horse-gram, castor beans and arecanut were harvested. Probable out-turn 1 to 12 annas. Paddy and sugar-cane were sown. Weeding operations in wet fields are going on. | | | |
| | Chiknayakanhalli. ... | ... | ... | ... | ... | | | | | | |
| | Sira ... | ... | ... | ... | ... | | | | | | |
| | Gubbi ... | ... | ... | ... | ... | | | | | | |
| | Tiptur ... | ... | ... | ... | ... | | | | | | |
| | Pavagada ... | ... | ... | ... | ... | | | | | | |
| | Kunigal ... | ... | ... | ... | ... | | | | | | |
| | Koratagere ... | ... | ... | ... | ... | | | | | | |
| | Turuvekere ... | ... | ... | ... | ... | | | | | | |
| | Huliyar ... | ... | ... | ... | ... | | | | | | |
| **Mysore** | Mysore ... | ... | ... | ... | ... | Rice 8½ to 11½ 9 to 12. Ragi 24 to 40 24 to 36. (*Eleusine corocana.*) Horse-gram 16 to 27 16 to 25. (*Ciser arietinum.*) | Do | Standing crops, *viz.*, sugar-cane, cotton, mulberry and castor beans are in good condition. Ragi, great millet, paddy and pigeon pea were harvested. | Fair. | Generally good. | Do | do |
| | Chamrajnagar ... | ... | ... | ... | ... | | | | | | |
| | Seringapatam ... | ... | ... | ... | ... | | | | | | |
| | Hunsur ... | ... | ... | ... | ... | | | | | | |
| | Yedatore ... | ... | ... | ... | ... | | | | | | |
| | Heggaddevankote. ... | ... | ... | ... | ... | | | | | | |
| | Gundlupet ... | ... | ... | ... | ... | | | | | | |
| | Nanjangud ... | ... | ... | .. | ... | | | | | | |
| | T. Narsipur ... | ... | ... | ... | ... | | | | | | |
| | Malvalli ... | ... | ... | ... | ... | | | | | | |
| | Mandya ... | ... | ... | ... | ... | | | | | | |
| | Attikuppa ... | ... | ... | ... | ... | | | | | | |
| | Nagamangala ... | ... | ... | ... | ... | | | | | | |
| **Hassan** ... | Hassan ... | ... | ... | ... | ... | Rice 9½ Ragi 32 (*Eleusine corocana.*) Horse-gram 17½ (*Ciser arietinum.*) | Do | Standing crops, *viz.*, Bengal-gram, sugar-cane and paddy are thriving. Sugar-cane, Bengal-gram and castor beans were harvested in some parts. | Favorable. | Do | Do | do |
| | Manjarabad ... | ... | ... | ... | ... | | | | | | |
| | Arkalgud ... | ... | ... | ... | ... | | | | | | |
| | Belur ... | ... | ... | ... | ... | | | | | | |
| | Chamarayapatna. ... | ... | ... | ... | ... | | | | | | |
| | Arsikere ... | ... | ... | .. | ... | | | | | | |
| | Holé-Narsipur ... | ... | ... | .. | ... | | | | | | |
| **Shimoga** .. | Shimoga ... | ... | 20 | ... | ... | Rice 11 to 16 11 to 16. Ragi 20 to 37 20 to 36. (*Eleusine corocana.*) Jola 24 to 30 26 to 30. (*Sorghum Vulgare.*) | Do | Standing crops are in good condition. Bengal-gram, wheat, pigeon pea, cow gram and horse-gram were harvested. Paddy was sown in a few Taluks. | Fair. | Do | Do | do |
| | Chanmagiri ... | ... | ... | ... | ... | | | | | | |
| | Honnali ... | ... | 4 | ... | ... | | | | | | |
| | Shikarpur ... | 1 | 5 | ... | ... | | | | | | |
| | Sorab ... | ... | ... | ... | 5 | | | | | | |
| | Sagar ... | ... | 14 | ... | ... | | | | | | |
| | Nagar ... | ... | ... | ... | ... | | | | | | |
| | Tirthahalli ... | ... | ... | ... | ... | | | | | | |
| | Kumsi ... | ... | ... | ... | ... | | | | | | |
| **Kadur** ... | Chikmagalur ... | 1 | 20 | ... | ... | Rice 10 to 13 10 to 13. Ragi 20 to 32 24 to 30. (*Eleusine corocana.*) Horse-gram 15 to 21 16 to 21. (*Ciser arietinum.*) | Do | Standing crops, *viz.*, cotton, Bengal-gram, sugar-cane, pepper, garlic, cow gram, pigeon pea and horse-gram are generally in good condition. Horse-gram, Bengal-gram, sugar-cane, castor beans, ragi and garlic were harvested in parts. Coffee and arecanut were harvested. Probable out-turn 6 to 16 annas. | Generally good. | Do | Do | do |
| | Kadur ... | ... | ... | ... | ... | | | | | | |
| | Tarikere ... | 1 | 50 | ... | ... | | | | | | |
| | Koppa ... | ... | 30 | ... | ... | | | | | | |
| | Mudgere ... | ... | ... | ... | ... | | | | | | |
| | Yedahalli .. | ... | ... | ... | ... | | | | | | |
| **Chitaldroog.** | Chitaldroog ... | ... | ... | ... | ... | Rice 10 to 14 [illegible] to 14. Ragi 32 to 48 [illegible] to 48. (*Eleusine corocana.*) Jola [illegible] to 40 [illegible] to 40. (*Sorghum Vulgare.*) | Do | Standing crops in good condition. Ragi, great millet, pigeon pea, cow gram, Bengal-gram, horse-gram, castor beans and sugar-cane were harvested. Probable out-turn a 12 anna crop. Paddy, great millet, tobacco and Italian millet were sown. | Do | Good. | Do | do |
| | Hiriyur ... | ... | ... | ... | ... | | | | | | |
| | Holalkere ... | ... | ... | ... | ... | | | | | | |
| | Davangere ... | ... | ... | ... | ... | | | | | | |
| | Molakalmuru ... | ... | ... | ... | ... | | | | | | |
| | Jagalur ... | ... | ... | ... | ... | | | | | | |
| | Hosdurga ... | ... | ... | ... | ... | | | | | | |

By Order,

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Turuvekere ... | ... | ... | ... | ... | | | | | | |
| | Huliyar ... | ... | ... | ... | ... | | | | | | |
| **Mysore** ... | Mysore ... | ... | ... | ... | ... | Rice 9 to 10 9 to 11½. | Do | Standing crops, *viz.*, paddy, castor beans and sugar-cane are in good condition. | Do | Do | Do do |
| | Chamrajnagar ... | ... | ... | ... | ... | Ragi 24 to 40 24 to 40. | | | | | |
| | Seringapatam ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | |
| | Hunsur ... | ... | ... | ... | ... | Horse- | | | | | |
| | Yedatore ... | ... | ... | ... | ... | gram 16 to 32 16 to 26. | | | | | |
| | Heggaddevankote. ... | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | |
| | Gundlupet ... | ... | ... | ... | ... | | | | | | |
| | Nanjangud ... | ... | ... | .. | ... | | | | | | |
| | T. Narsipur ... | ... | ... | ... | ... | | | | | | |
| | Malvalli ... | ... | ... | ... | ... | | | | | | |
| | Mandya ... | ... | ... | ... | ... | | | | | | |
| | Attikuppa ... | ... | ... | ... | ... | | | | | | |
| | Nagamangala ... | ... | ... | ... | ... | | | | | | |
| **Hassan** ... | Hassan ... | ... | ... | ... | 75 | Rice 10½ | Do | The standing sugar-cane and paddy crops thriving. Paddy, ragi and Bengal-gram are being harvested. | Favorable. | ... | Do do |
| | Manjarabad ... | ... | ... | ... | 55 | Ragi 28 | | | | | |
| | Arkalgud ... | ... | 2 | ... | 15 | (*Eleusine corocana.*) | | | | | |
| | Belur ... | ... | ... | 1 | 30 | Horse- | | | | | |
| | Channarayapatna. ... | ... | ... | ... | 16 | gram 16 | | | | | |
| | Arsikere ... | ... | ... | .. | ... | (*Ciser arietinum.*) | | | | | |
| | Holé-Narsipur ... | ... | ... | 3 | 50 | | | | | | |
| **Shimoga** .. | Shimoga ... | ... | ... | ... | 28 | Rice 11 to 16 11 to 14. | Do | Standing crops, *viz.*, sugar-cane, Bengal-gram, cotton, paddy, pigeon pea and great millet are in good condition. Sugar-cane planted in parts. Paddy was sown in parts. | Fair. | Generally good. | Do do |
| | Channagiri ... | ... | ... | ... | ... | Ragi 20 to 36 20 to 36. | | | | | |
| | Honnali ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | |
| | Shikarpur ... | ... | ... | ... | ... | Jola 24 to 30 28 to 30. | | | | | |
| | Sorab ... | ... | ... | ... | ... | (*Sorghum Vulgare.*) | | | | | |
| | Sagar ... | ... | ... | ... | ... | | | | | | |
| | Nagar ... | ... | ... | ... | ... | | | | | | |
| | Tirthahalli ... | ... | ... | ... | ... | | | | | | |
| | Kumsi ... | ... | ... | ... | ... | | | | | | |
| **Kadur** ... | Chikmagalur ... | ... | ... | ... | 42 | Rice 10 to 12 10 to 13. | Do | Standing crops, *viz.*, cotton, Bengal-gram, wheat, pepper and sugar-cane are generally in good condition. Bengal-gram, sugar-cane, pepper and garlic were harvested. Probable out-turn 6 to 12 annas. | Generally good. | Do | Do do |
| | Kadur ... | ... | ... | ... | ... | Ragi 23 to 32 20 to 32. | | | | | |
| | Tarikere ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | |
| | Koppa ... | ... | ... | ... | ... | Horse- | | | | | |
| | Mudgere ... | ... | ... | ... | 10 | gram 15 to 22 15 to 21. | | | | | |
| | Yedahalli .. | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | |
| **Chitaldroog.** | Chitaldroog ... | ... | ... | ... | ... | Rice 10 to 14 10 to 14. | Do | Standing crops are in good condition. Great millet, sugar-cane, Bengal-gram, horse-gram, pigeon pea, castor beans and cotton were harvested. Probable out-turn a 12 anna crop. Paddy was sown. | Good. | Good. | Do do |
| | Challakere ... | ... | ... | ... | ... | Ragi 32 to 42 32 to 48. | | | | | |
| | Hiriyur ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | |
| | Holalkere ... | ... | ... | ... | ... | Jola 24 to 38 24 to 40. | | | | | |
| | Davangere ... | ... | ... | ... | ... | (*Sorghum Vulgare.*) | | | | | |
| | Molakalmuru ... | ... | ... | ... | ... | | | | | | |
| | Jagalur ... | ... | ... | ... | ... | | | | | | |
| | Hosdurga ... | ... | ... | ... | ... | | | | | | |

By Order,

A. SRINIVASACHARLU,
*Under-Secretary.*

| | | | | | |
|---|---|---|---|---|---|
| | K ... | ... | ... | ... | ... |
| | Koralagere ... | ... | ... | ... | ... |
| | Turuvekere ... | ... | ... | ... | ... |
| | Huliyar ... | ... | ... | ... | ... |
| ysore ... | Mysore ... | ... | ... | ... | ... |
| | Chamrajnagar ... | ... | ... | ... | ... |
| | Serimapatam ... | ... | ... | ... | ... |
| | Hunsur ... | ... | ... | ... | ... |
| | Yedatore ... | ... | ... | ... | ... |
| | Heggaddevankote. ... | ... | ... | ... | ... |
| | Gundlupet ... | ... | ... | ... | ... |
| | Nanjangud ... | ... | ... | .. | ... |
| | T. Narsipur ... | ... | ... | ... | ... |
| | Malvalli ... | ... | ... | ... | ... |
| | Mandya ... | ... | ... | ... | ... |
| | Attikuppa ... | ... | ... | ... | ... |
| | Nagamangala ... | ... | ... | ... | ... |
| assan ... | Hassan ... | ... | ... | ... | ... |
| | Manjarabad ... | ... | ... | ... | ... |
| | Arkalgud ... | ... | ... | ... | ... |
| | Belur ... | ... | ... | ... | ... |
| | Chamarayapatna. ... | ... | ... | ... | ... |
| | Arsikere ... | ... | ... | .. | ... |
| | Holé-Narsipur ... | ... | ... | .. | ... |
| imoga ... | Shimoga ... | ... | ... | ... | ... |
| | Chanagiri ... | ... | ... | ... | ... |
| | Honnali ... | ... | ... | ... | ... |
| | Shikarpur ... | ... | ... | ... | ... |
| | Soreb ... | ... | ... | ... | ... |
| | Sagar ... | ... | ... | ... | ... |
| | Nagar ... | ... | ... | ... | ... |
| | Tirthahalli ... | ... | ... | ... | ... |
| | Kumsi ... | ... | ... | ... | ... |
| adur ... | Chikmagalur ... | ... | ... | ... | ... |
| | Kadur ... | ... | ... | ... | ... |
| | Tarikere ... | ... | ... | ... | ... |
| | Koppa ... | ... | ... | ... | ... |
| | Mudgere ... | ... | ... | ... | ... |
| | Yedahalli .. | ... | ... | ... | ... |
| italdroog. | Chitaldroog ... | ... | ... | ... | ... |
| | Challakere ... | ... | ... | ... | ... |
| | Hiriyur ... | ... | ... | ... | ... |
| | Holalkere ... | ... | ... | ... | ... |
| | Davangere ... | ... | ... | ... | ... |
| | Molakalmuru ... | ... | ... | ... | ... |
| | Jagalur ... | ... | ... | ... | ... |
| | Hosdurga ... | .. | ... | ... | ... |

| | | | | |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Rice 9 to 11¼ 8½ to 11½.<br>Ragi 24 to 40 24 to 40.<br>(*Eleusine corocana.*)<br>Horse-<br>gram 16 to 32 16 to 26.<br>(*Ciser arietinum.*) | Do | Standing crops, *viz.*, sugar-cane, Bengal-gram and cotton are in good condition. Harvesting of other crops almost completed. Probable out-turn 4 to 12 annas. | Fair. | Generally good. | Do | do |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Rice 10<br>Ragi 30<br>(*Eleusine corocana.*)<br>Horse-<br>gram 16<br>(*Ciser arietinum.*) | Do | Paddy, ragi, black gram and Bengal-gram were harvested. Paddy is being transplanted in a few taluks. | Favorable. | Fair. | Do | do |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Rice 11 to 14 11 to 16.<br>Ragi 20 to 36 20 to 37.<br>(*Eleusine corocana.*)<br>Jola 28 to 30 24 to 30.<br>(*Sorghum Vulgare.*) | Do | Standing crops, *viz.*, paddy, cotton, Bengal-gram, sugar-cane and great millet are in good condition. | Fair. | Generally good. | Do | do |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Rice 10 to 13 10 to 13.<br>Ragi 20 to 32 20 to 32.<br>(*Eleusine corocana.*)<br>Horse-<br>gram 15 to 21 15 to 21.<br>(*Ciser arietinum.*) | Do | Standing crops, *viz.*, cotton, Bengal-gram, wheat, pepper and sugar-cane are generally in good condition. Horse-gram, Bengal-gram, sugar-cane, cow gram, pigeon pea and garlic were harvested. Probable out-turn 6 to 14 annas. | Generally good. | Do | Do | do |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Rice 10 to 14 10 to 14.<br>Ragi 32 to 48 32 to 48.<br>(*Eleusine corocana.*)<br>Jola 24 to 40 24 to 40.<br>(*Sorghum Vulgare.*) | Do | Standing crops are in good condition. Great millet, Bengal-gram, horse-gram, pigeon pea, castor beans, cotton and sugar-cane were harvested. Probable out-turn a 12 anna crop. Paddy was sown. | Good. | Good. | Do | do |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

By Order,

A. SRINIVASACHARLU,
*Under-Secretary.*